TwinPoint Gen2
CATALOGUE

Folding door lock with internal and external access

centor®

TwinPoint Gen2 catalogue - EU

centor®

Stainless steel handles

Single 3

Double 4

Spindle kit 4

Stainless steel handles - Matching H01 handles 5 - 6

Zinc diecast handles

Single 7

Double 8

Spindle kit 8

Cylinders - outward

Single 9

Removable key/thumb turn 9

Double 10 - 12

Cylinders - inward

Single 13-14

Lock bodies 15

Transmission - wood

Rod and cover sets 16

Adaptors 17

Bolt cups 18

Strike plates 19

Joiners kit - non keyed 20

Joiners kit - keyed 21

Transmission - hollow

Shims 22

Transmission rod set 22

Bolt guides 22

Bolts and transmission rod adaptors 23

Stainless steel handles



Single handle H03

Contents

1 x handle set, 30 & 35mm mounting screws
1 x 25 & 37mm spindles
2 x M4 spindle grub screw, 1 x 2mm allen key

Non-keyed Short

TPL-075-01-S	brushed stainless
TPL-075-01-OL	PVD black
TPL-075-01-TG	PVD brass



Keyed Long

TPL-077-01-S	brushed stainless
TPL-077-01-OL	PVD black
TPL-077-01-TG	PVD brass

Stainless steel handles

Double handle keyed, H03 Long

Contents

1 x internal handle set, 1 x external handle set
3 x 100mm mounting screws
1 x 100mm spindles
2 x M4 spindle grub screw, 1 x 2mm allen key



Keyed Long

TPL-074-03-S	brushed stainless
TPL-074-03-OL	PVD black
TPL-074-03-TG	PVD brass

Spindle kit

Spindle kit 100mm

Contents

1 x 100mm spindle, 3 x 100mm mounting screws
1 x M4 spindle grub screw, 1 x 2mm allen key



For non standard panels, cut spindle and screws to fit

TPL-058-100-S	stainless steel
TPL-058-100-OL	PVD black
TPL-058-100-TG	PVD brass

Stainless steel handles - Matching H01 handles

The benefits of the new H03 stainless steel range are:

- *Spindles are now supplied loose and are interchangeable.*

  - The number of handle variations has been reduced. Each handle now comes with multiple spindle lengths and mounting screws to suit a range of panel thicknesses.

  - It is now easier to adapt to an unusual panel thickness. Either shorten the spindle and mounting screws supplied with the handle or use the 100mm spindle kit.

- *The double handle now only uses one spindle.*

  - The spindle length is simply the panel thickness less a little bit of clearance.

- *Stronger internal components for long lasting smooth operation.*

Single handle Non-keyed Short

H03	H01
TPL-075-01-finish	TPL-002-C-finish
	TPL-002-G-finish
	TPL-002-K-finish
	TPL-002-M-finish
	TPL-002-O-finish
	TPL-002-Q-finish
	TPL-002-R-finish

Single handle Keyed Long

H03	H01
TPL-077-01-finish	TPL-024-C-finish
	TPL-024-G-finish
	TPL-024-K-finish
	TPL-024-M-finish
	TPL-024-O-finish
	TPL-024-Q-finish
	TPL-024-R-finish

Stainless steel handles - Matching H01 handles

Double handle Keyed Long

H03	H01
TPL-074-03-finish	TPL-001-GJ-finish
	TPL-001-JG-finish
	TPL-001-JK-finish
	TPL-001-JL-finish
	TPL-001-JM-finish
	TPL-001-JN-finish
	TPL-001-JO-finish
	TPL-001-JP-finish
	TPL-001-JQ-finish
	TPL-001-JR-finish
	TPL-001-KJ-finish
	TPL-001-LJ-finish
	TPL-001-MJ-finish
	TPL-001-NJ-finish
	TPL-001-OJ-finish
	TPL-001-PJ-finish
	TPL-001-QJ-finish
	TPL-001-RJ-finish

Zinc diecast handles

Single handle H02

Contents

1 x handle set, 30 & 35mm mounting screws
1 x 25 & 37mm spindles
2 x M4 spindle grub screw, 1 x 2mm allen key

Non-keyed Short

TPL-055-01-NI	nickel plated
TPL-055-01-LM	black matt powdercoat
TPL-055-01-WM	white matt powdercoat



Non-keyed Long

TPL-056-01-NI	nickel plated
TPL-056-01-LM	black matt powdercoat
TPL-056-01-WM	white matt powdercoat



Keyed Long

TPL-057-01-NI	nickel plated
TPL-057-01-LM	black matt powdercoat
TPL-057-01-WM	white matt powdercoat

Zinc diecast handles

Double handle keyed, H02 Long

Contents

1 x internal handle set, 1 x external handle set
3 x 100mm mounting screws
1 x 100mm spindles
2 x M4 spindle grub screw, 1 x 2mm allen key



Keyed Long

TPL-054-03-NI	nickel plated
TPL-054-03-LM	black matt powdercoat
TPL-054-03-WM	white matt powdercoat

Spindle kit

Spindle kit 100mm

Contents

1 x 100mm spindle, 3 x 100mm mounting screws
1 x M4 spindle grub screw, 1 x 2mm allen key



For non standard panels, cut spindle and screws to fit

TPL-058-100-S	stainless steel
TPL-058-100-OL	PVD black

Single lock cylinders - outward opening

Lock cylinder Euro single keyed alike C4

Contents

1 x cylinder, 3 x 5-pin key, 1 x 20mm long cylinder screw

1 x Rehanding instruction



3 Pin 23mm *(4mm cover offset)*

TPL-022-KA-US15	satin nickel
TPL-022-KA-MB	matt black
TPL-022-KA-TG	PVD brass



5 Pin 32mm *(12mm cover offset)*

TPL-023-KA-US15	satin nickel
TPL-023-KA-MB	matt black
TPL-023-KA-TG	PVD brass

Removable key/thumb turn

Key with thumb turn keyed alike C4

Contents

1 x thumb turn



5 pin *- for single cylinders TPL-022-KA* and TPL-023-KA**

TPL-044-KA-US15	satin nickel
TPL-044-KA-MB	matt black
TPL-044-KA-TG	PVD brass

Double lock cylinders - inward & outward opening



Lock cylinder Euro double 6 pin security

Contents

1 x cylinder, 3 x key, 1 x 20mm long cylinder screw

65mm (30-35)

panel thickness 54 to 58mm, 12mm cover offset

TPL-050-65-L-KD-MB	left hand	- matt black
TPL-050-65-L-KD-SN		- satin
TPL-050-65-L-KD-SB		- brass
TPL-050-65-R-KD-MB	right hand	- matt black
TPL-050-65-R-KD-SN		- satin
TPL-050-65-R-KD-SB		- brass

70mm (30-40)

Panel thickness 58 to 63mm, 12mm cover offset

TPL-050-70-L-KD-MB	left hand	- matt black
TPL-050-70-L-KD-SN		- satin
TPL-050-70-L-KD-SB		- brass
TPL-050-70-R-KD-MB	right hand	- matt black
TPL-050-70-R-KD-SN		- satin
TPL-050-70-R-KD-SB		- brass

75mm (30-45)

Panel thickness 63 to 68mm, 12mm cover offset

TPL-050-75-L-KD-MB	left hand	- matt black
TPL-050-75-L-KD-SN		- satin
TPL-050-75-L-KD-SB		- brass
TPL-050-75-R-KD-MB	right hand	- matt black
TPL-050-75-R-KD-SN		- satin
TPL-050-75-R-KD-SB		- brass

Double lock cylinders (continue)



80mm (30-50)

Panel thickness 68 to 73mm, 12mm cover offset

TPL-050-80-L-KD-MB	left hand	- matt black
TPL-050-80-L-KD-SN		- satin
TPL-050-80-L-KD-SB		- brass
TPL-050-80-R-KD-MB	right hand	- matt black
TPL-050-80-R-KD-SN		- satin
TPL-050-80-R-KD-SB		- brass

85mm (30-55)

Panel thickness 73 to 78mm, 12mm cover offset

TPL-050-85-L-KD-MB	left hand	- matt black
TPL-050-85-L-KD-SN		- satin
TPL-050-85-L-KD-SB		- brass
TPL-050-85-R-KD-MB	right hand	- matt black
TPL-050-85-R-KD-SN		- satin
TPL-050-85-R-KD-SB		- brass

90mm (30-60)

Panel thickness 78 to 83mm, 12mm cover offset

TPL-050-90-L-KD-MB	left hand	- matt black
TPL-050-90-L-KD-SN		- satin
TPL-050-90-L-KD-SB		- brass
TPL-050-90-R-KD-MB	right hand	- matt black
TPL-050-90-R-KD-SN		- satin
TPL-050-90-R-KD-SB		- brass

95mm (30-65)

Panel thickness 83 to 88mm, 12mm cover offset

TPL-050-95-L-KD-MB	left hand	- matt black
TPL-050-95-L-KD-SN		- satin
TPL-050-95-L-KD-SB		- brass
TPL-050-95-R-KD-MB	right hand	- matt black
TPL-050-95-R-KD-SN		- satin
TPL-050-95-R-KD-SB		- brass

Double lock cylinders (continue)



100mm (30-70)

Panel thickness 88 to 93mm, 12mm cover offset

TPL-050-100-L-KD-MB	left hand	- matt black
TPL-050-100-L-KD-SN		- satin
TPL-050-100-L-KD-SB		- brass
TPL-050-100-R-KD-MB	right hand	- matt black
TPL-050-100-R-KD-SN		- satin
TPL-050-100-R-KD-SB		- brass

105mm (30-75)

Panel thickness 93 to 98mm, 12mm cover offset

TPL-050-105-L-KD-MB	left hand	- matt black
TPL-050-105-L-KD-SN		- satin
TPL-050-105-L-KD-SB		- brass
TPL-050-105-R-KD-MB	right hand	- matt black
TPL-050-105-R-KD-SN		- satin
TPL-050-105-R-KD-SB		- brass

Single lock cylinders - inward opening



Lock cylinder Euro single 6 pin security

Contents

1 x cylinder, 3 x 5-pin key, 1 x 20mm long cylinder screw

1 x Rehanding instruction

35mm

Panel thickness 54 to 58mm, 4 or 12mm cover offset

TPL-064-35-KD-MB	matt black
TPL-064-35-KD-SN	satin nickel
TPL-064-35-KD-SB	brass

40mm

Panel thickness 59 to 63mm, 4 or 12mm cover offset

TPL-064-40-KD-MB	matt black
TPL-064-40-KD-SN	satin nickel
TPL-064-40-KD-SB	brass

45mm

Panel thickness 64 to 68mm, 4 or 12mm cover offset

TPL-064-45-KD-MB	matt black
TPL-064-45-KD-SN	satin nickel
TPL-064-45-KD-SB	brass

50mm for panel thickness 69 to 73mm

Panel thickness 69 to 73mm, 4 or 12mm cover offset

TPL-064-50-KD-MB	matt black
TPL-064-50-KD-SN	satin nickel
TPL-064-50-KD-SB	brass

55mm

55mm for panel thickness 74 to 78mm, 4 or 12mm cover offset

TPL-064-55-KD-MB	matt black
TPL-064-55-KD-SN	satin nickel
TPL-064-55-KD-SB	brass

Single lock cylinders - inward opening (continue)



60mm

Panel thickness 79 to 83mm, 4 or 12mm cover offset

TPL-064-60-KD-MB	matt black
TPL-064-60-KD-SN	satin nickel
TPL-064-60-KD-SB	brass

65mm

Panel thickness 84 to 88mm, 4 or 12mm cover offset

TPL-064-65-KD-MB	matt black
TPL-064-65-KD-SN	satin nickel
TPL-064-65-KD-SB	brass

70mm

Panel thickness 89 to 93mm, 4 or 12mm cover offset

TPL-064-70-KD-MB	matt black
TPL-064-70-KD-SN	satin nickel
TPL-064-70-KD-SB	brass

75mm

Panel thickness 94 to 98mm, 4 or 12mm cover offset

TPL-064-75-KD-MB	matt black
TPL-064-75-KD-SN	satin nickel
TPL-064-75-KD-SB	brass

Lock bodies

Lock body

Contents

1 x lock body



Non-keyed

TPL-004	single short



Keyed

TPL-025	single long
TPL-003	double long

Transmission rod and cover sets

Transmission rod set wood panels, torx

Contents

1 x lock body cover, 2 x top & bottom covers same length
2 x transmission rod with bolt attached (one short, one long)
4 x pop rivets, 1 x drill jig, 1 x torx screw pack



Short lock body cover

up to 1170mm panel height

TPL-070-11-XS	brushed metallic
TPL-070-11-LY	black

up to 1830mm panel height

TPL-070-18-XS	brushed metallic
TPL-070-18-LY	black

up to 2440mm panel height

TPL-070-24-XS	brushed metallic
TPL-070-24-LY	black

up to 3050mm panel height

TPL-070-30-XS	brushed metallic
TPL-070-30-LY	black

up to 4000mm panel height

TPL-070-40-XS	brushed metallic
TPL-070-40-LY	black



Long lock body cover

up to 2440mm panel height

TPL-039-24-XS	brushed metallic
TPL-039-24-LY	black

up to 3050mm panel height

TPL-039-30-XS	brushed metallic
TPL-039-30-LY	black

up to 4000mm panel height

TPL-039-40-XS	brushed metallic
TPL-039-40-LY	black

Transmission rod adaptors



Transmission rod adaptors

Contents

bag of 1 - 1 pair of rod adaptors

bag of 20 - 20 pairs of rod adaptors

26mm backset

TPL-015-CD-01	bag of 1 set
TPL-015-CD-20	bag of 20 sets

40mm backset

TPL-015-EF-01	bag of 1 set
TPL-015-EF-20	bag of 20 sets

Bolt cups

Single bolt cup kit 8mm

Contents
bag of 1 - 1 x single bolt cup, 2 x mounting screws
bag of 20 - 20 x single bolt cups, 40 x mounting screws



TPL-017-OL-01	bag of 1	- PVD black
TPL-017-S-01		- stainless steel
TPL-017-TG-01		- PVD brass
TPL-017-OL-20	bag of 20	- PVD black
TPL-017-S-20		- stainless steel
TPL-017-TG-20		- PVD brass

Double bolt cup kit 8mm

Contents
bag of 1 - 1 x double bolt cup, 2 x mounting screws
bag of 20 - 20 x double bolt cups, 40 x mounting screws



TPL-071-OL-01	bag of 1	- PVD black
TPL-071-S-01		- stainless steel
TPL-071-TG-01		- PVD brass
TPL-071-OL-20	bag of 20	- PVD black
TPL-071-S-20		- stainless steel
TPL-071-TG-20		- PVD brass

Strike plates

Single strike plate kit 8mm

Contents
bag of 1 - 1 x single bolt cup, 2 x mounting screws
bag of 20 - 20 x single bolt cups, 40 x mounting screws



TPL-018-OL-01	bag of 1	- PVD black
TPL-018-S-01		- stainless steel
TPL-018-TG-01		- PVD brass
TPL-018-OL-20	bag of 20	- PVD black
TPL-018-S-20		- stainless steel
TPL-018-TG-20		- PVD brass

Double strike plate kit 8mm

Contents
bag of 1 - 1 x double bolt cup, 2 x mounting screws
bag of 20 - 20 x double bolt cups, 40 x mounting screws



TPL-072-OL-01	bag of 1	- PVD black
TPL-072-S-01		- stainless steel
TPL-072-TG-01		- PVD brass
TPL-072-OL-20	bag of 20	- PVD black
TPL-072-S-20		- stainless steel
TPL-072-TG-20		- PVD brass

Joiners kit - non-keyed

Transmission rod kit - suits single handle non-keyed

Contents

1 x lock body cover, 2 x top & bottom covers same length
2 x transmission rod with bolt attached (one short, one long)
4 x pop rivets, 1 x drill jig, 1 x torx screw pack
1 x lock body
1 pair of rod adaptors



up to 2440mm high panel

TPL-059-24-XS	brushed stainless
TPL-059-24-LY	black

Accessories kit - single non-keyed

Contents

1 x H03 handle set including
1 x gasket, 30 & 35mm mounting screws, 1 x 25 & 37 spindles
1 x bolt cup, 2 x mounting screws
1 x strike plate, 2 x mounting screws



suits 12mm cover offset - 29.5mm spindle depth

TPL-078-01-S	stainless steel
TPL-078-01-OL	PVD black
TPL-078-01-TG	PVD brass

Joiners kit - keyed



Transmission rod kit - suits single handle keyed

Contents

1 x lock body cover, 2 x top & bottom covers same length
2 x transmission rod with bolt attached (one short, one long)
4 x pop rivets, 1 x drill jig, 1 x torx screw pack
1 x lock body
1 pair of rod adaptors

up to 2440mm high panel

TPL-060-24-XS	brushed stainless
TPL-060-24-LY	black



Accessories kit -single keyed

Contents

1 x H03 handle set including,
1 x gasket, 30 & 35mm mounting screws, 1 x 25 & 37 spindles
1 x bolt cup, 2 x mounting screws
1 x strike plate, 2 x mounting screws
1 x 5pin cylinder, 3 x 5-pin key, 1 x 20mm long cylinder screw
1 x Rehanding instruction, 1 x thumb turn

suits 12mm cover offset - 29.5mm spindle depth

TPL-079-01-S	stainless steel
TPL-079-01-OL	PVD black
TPL-079-01-TG	PVD brass

Shims



Shim

Contents
50 x shims

bag of 50

TPL-038-05-50	5mm
TPL-038-08-50	8mm
TPL-038-16-50	16mm

Transmission rod set



Transmission rod set

Contents
2 x transmission rods with

TPL-041-24	up to 2440mm panel height
TPL-041-30	up to 3050mm panel height
TPL-041-40	up to 4000mm panel height

Bolt guides



Bolt guide aluminium

Contents
bag of 2 - 2 x bolt guides, 4 x 8mm long screws
bag of 20 - 20 x bolt guides, 40 x 8mm long screws

13.0mm ID - 13mm offset

TPL-034-NF-02	bag of 2
TPL-034-NF-20	bag of 20



12.4mm ID - 20mm offset

TPL-035-NF-02	bag of 2
TPL-035-NF-20	bag of 20

Bolts and transmission rod adaptors



Rount bolt and adaptor

Contents

bag of 2 - 2 x bolts, 2 x adaptors (not attached)

bag of 20 - 20 x bolts, 20 x adaptors (not attached)

12.7mm single flat

TPL-033-B-02	bag of 2
TPL-033-B-20	bag of 20

12.7mm double flat

TPL-033-A-02	bag of 2
TPL-033-A-20	bag of 20

12.5mm single flat

TPL-033-C-02	bag of 2
TPL-033-C-20	bag of 20

12.0mm single flat

TPL-033-D-02	bag of 2
TPL-033-D-20	bag of 20

11.5mm single flat

TPL-033-E-02	bag of 2
TPL-033-E-20	bag of 20



Square bolt and adaptor

Contents

bag of 2 - 2 x bolts, 2 x adaptors (not attached)

bag of 20 - 20 x bolts, 20 x adaptors (not attached)

8mm

TPL-033-F-02	bag of 2
TPL-033-F-20	bag of 20

Centor UK Ltd

Birmingham
+44 (0) 121 701 2500
mail.uk@centor.com
centor.com

Centor Europe

Stryków
+48 42 206 8810
mail.ce@centor.com
centor.com

centor®

BRO-TPG2-CAT-EU (E)