

TwinPoint Gen2
LOCKING SYSTEM



Folding door lock with internal and external access

centor®

TWINPOINT GEN2 INNOVATIONS




Lockable from inside & out

Single or double cylinders with optional removable thumb turn.
Provides enhanced access and security for folding doors.



Perfect for even-panel configurations and two-panel bifolds.

With both egress and ingress capabilities, 2L2R and two-panel
bifolds can now be offered without hesitation.



Smaller gear box for maximized compatibility

A smaller gear box means TwinPoint Gen2 suits most stile
and profile designs currently using other locks



Strong materials & design

Designed to meet high demands for weather-sealing,
security and wind load

DOUBLE YOUR DOORWAY



A superior alternative to XO sliders - Replacement or new construction

The new TwinPoint Gen2 offers a great opportunity for your customers looking to double their doorway by replacing XO sliding doors.

When designed in conjunction with Centor's F2 & F3 floor-rolling systems, traditional 2 panel sliding doors can be removed and new folding doors can be installed without having to worry about limited header size or providing separate exterior access.

EVEN-PANEL CONFIGURATIONS MADE EASIER



Simple even-panel configurations

Even-panel systems are more user-friendly thanks to TwinPoint Gen2's ingress/egress capabilities. If you're looking for 2L2R options TwinPoint Gen2 makes it easy to open, close and lock even-panel doors.

Compatible with 2 panel folding doors

The TwinPoint Gen2's two-way lock is compatible with 2-panel bifolds. Previous configurations were restricted given their inability to lock and unlock from both sides.

Internal and external handle options

The new TwinPoint Gen2 includes both internal and external handle options. A double cylinder allows locking and unlocking from both inside and out to provide options not previously available for folding doors. Convenience is further enhanced with a removable thumb turn that will not damage the panels if it is left in the cylinder when the panels are opened.

Manufacturers can now offer 2-panel folding doors in place of XO sliders for both new construction and replacement applications.

NEW COMPACT GEAR BOX

The lock's new slim gearbox fits neatly into panel thicknesses as thin as 38mm.

Non-keyed lock body	32mm wide, 15.5mm thick, 145.5mm long
Key lock body	32mm wide, 15.5mm thick, 272mm long

ENGINEERED FOR STRENGTH


- Designed with robust materials to meet increased demands for weather sealing, security and wind load.
- 25mm throw bolts maximize structural performance in heightened weather conditions and protect your customer against unwanted visitors.
- In wood doors a full-length transmission rod cover provides reinforcement for improved performance.
- New durable handle design eliminates the need for an additional closing handle, reducing inventory and lowering cost.

MODERN FINISHES

TwinPoint Gen2 hardware is available in brushed stainless steel, PVD black and PVD brass colour options.




OPTIONS TO SUIT EVERY APPLICATION



Keyed


The keyed TwinPoint Gen2 can be used with a single cylinder to lock the folding panels or with a double cylinder to lock the active panel. The active panel may be either the traditional swing panel or the folding panel on an even set.




Non-keyed

The non-keyed TwinPoint Gen2 has a smaller body and matching handle set. It is ideal for applications where keyed security is not required.

COMPATIBLE WITH WOOD & HOLLOW PANELS



Wood panel arrangement



Hollow panel arrangement

Flexibility for you

The TwinPoint Gen2 has accessories to suit solid wood or hollow panels. The wood accessories include connection rods and cover that fit into a rebate in the edge of the stile. The hollow panel accessories are suitable for aluminium, PVC or fibreglass. The connection rod is fitted inside the hollow stile with a wide choice of lock shims, bolts and bolt guides.

The Centor advantage

At Centor, we are committed to working closely with your production team to deliver TwinPoint Gen2 in a manner that improves your production efficiency. This includes pre-assembled items, bulk supply with minimal packaging or customised parts.

Centor UK Ltd

Birmingham

+44 (0) 121 701 2500

mail.uk@centor.com

centor.com

Centor Europe Sp zo.o

Stryków

+48 42 206 8810

mail.ce@centor.com

centor.com