


S4

Imperial

FRAME SIZE LIMITS

Single | Double | Combination

centor®



Fabric Type	Frame Height (in) (FH)	Frame Width (in) (FW)		
		Single	Double	Combination
Standard weave	32-1/8" - 126"	40" - 181-1/2"	40" - 354-13/16"	40" - 184-1/16"
	126-1/16" - 157-1/2"	39-15/16" - 118-3/16"	39-15/16" - 228-3/16"	39-15/16" - 120-3/4"
Tight weave	32-1/8" - 126"	40" - 165-3/16"	40" - 322-3/16"	40" - 167-3/4"
	126-1/16" - 157-1/2"	39-15/16" - 118-3/16"	39-15/16" - 228-3/16"	39-15/16" - 120-3/4"
Boston, Blockout	32-1/8" - 114-1/8"	40" - 99-5/8"	40" - 191-1/8"	40" - 102-3/16"
Boston, Light-filtering	32-1/8" - 114-1/8"	40" - 165-3/16"	40" - 322-3/16"	40" - 167-3/4"
Tuscany, Blockout	32-1/8" - 114-1/8"	40" - 107-13/16"	40" - 207-1/2"	40" - 110-3/8"
Tuscany, Light-filtering	32-1/8" - 114-1/8"	40" - 165-3/16"	40" - 322-3/16"	40" - 167-3/4"
Mercury, Blockout	32-1/8" - 114-1/8"	40" - 124-7/16"	40" - 240-5/8"	40" - 127"
Mercury, Light-filtering	32-1/8" - 114-1/8"	40" - 165-3/16"	40" - 322-3/16"	40" - 167-3/4"
Sun-filter	32-1/8" - 126"	40" - 178-13/16"	40" - 349-7/16"	40" - 181-3/8"

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type. All screens over 204 5/16" will require frame joiners to head and sill. The dimensions are a guide only and may change depending on the options selections. Confirmation should always be sought from a Centor Screen dealer with access to the Centor Production System (CPS).




S4

Imperial

FRAME SIZE LIMITS

Jambless | XO or OX

centor®

	Configuration	Fabric Type	Frame Height (mm) (FH)	Frame Width (mm) (FW)	Screen Stop Position (SSP)
Jambless (Full width)		Standard weave	32-1/8" - 157-1/2"	36" - 178-1/4"	N/A
			126-1/16" - 157-1/2"	35-15/16" - 114-5/8"	
		Tight weave	32-1/8" - 157-1/2"	36" - 161-11/16"	
			126-1/16" - 157-1/2"	35-15/16" - 114-5/8"	
		Sun-filter	32-1/8" - 126"	36" - 175-1/4"	
Jambless (Custom)		Standard weave	32-1/8" - 157-1/2"	36" - 401-7/8"	11 13/16" - 173-9/16"
			126-1/16" - 157-1/2"	35-15/16" - 338-9/16"	11 13/16" - 109-15/16"
		Tight weave	32-1/8" - 157-1/2"	36" - 385-5/8"	11 13/16" - 157"
			126-1/16" - 157-1/2"	35-15/16" - 338-9/16"	11 13/16" - 109-15/16"
		Sun-filter	32-1/8" - 126"	36" - 399-1/4"	11 13/16" - 170-9/16"
XO or OX		Standard weave	32-1/8" - 157-1/2"	40" - 405-15/16"	11 13/16" - 173-9/16"
			126-1/16" - 157-1/2"	39-15/16" - 342-5/8"	11 13/16" - 109-15/16"
		Tight weave	32-1/8" - 157-1/2"	40" - 389-5/8"	11 13/16" - 157"
			126-1/16" - 157-1/2"	39-15/16" - 342-5/8"	11 13/16" - 109-15/16"
		Sun-filter	32-1/8" - 126"	40" - 403-1/4"	11 13/16" - 170-9/16"

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type.

All screens over 204 5/16" will require frame joiners to head and sill. The dimensions are a guide only and may change depending on the options selections. Confirmation should always be sought from a Centor Screen dealer with access to the Centor Production System (CPS).



S4

Imperial

FRAME SIZE LIMITS

Corner | Corner XO-OX

centor®



Fabric Type	Frame Height (in) (FH)	Frame Width (in) (FW)		Screen Stop Position (SSP)
Standard weave	32-1/8" - 126"	35-7/8" - 180-11/16"	41-13/16" - 402-1/8"	11 13/16" - 173-9/16"
Tight weave	32-1/8" - 126"	35-7/8" - 164-7/16"	41-13/16" - 385-9/16"	11 13/16" - 157"
Boston, Blockout	32-1/8" - 114-1/8"	35-7/8" - 98-7/8"	~	~
Boston, Light-filtering	32-1/8" - 114-1/8"	35-7/8" - 164-7/16"	~	~
Tuscany, Blockout	32-1/8" - 114-1/8"	35-7/8" - 107-1/16"	~	~
Tuscany, Light-filtering	32-1/8" - 114-1/8"	35-7/8" - 164-7/16"	~	~
Mercury, Blockout	32-1/8" - 114-1/8"	35-7/8" - 123-5/8"	~	~
Mercury, Light-filtering	32-1/8" - 114-1/8"	35-7/8" - 164-7/16"	~	~
Sun-filter	32-1/8" - 126"	35-7/8" - 178-1/16"	41-13/16" - 399-7/16"	11 13/16" - 170-9/16"

Fabric widths are established by fabric thickness. Due to variations in fabric thickness, the maximum width may not be achievable. In such cases, we offer an alternative colour and fabric type. All screens over 204 5/16" will require frame joiners to head and sill. The dimensions are a guide only and may change depending on the options selections. Confirmation should always be sought from a Centor Screen dealer with access to the Centor Production System (CPS).